

Replacement of Gas Boilers with Heat Pumps, District Heating, and Hybrid Solutions:

Report on the Shift Away from Natural Gas in Buildings





Replacement of Gas Boilers with Heat Pumps, District Heating, and Hybrid Solutions:

Report on the Shift Away from Natural Gas in Buildings

REHVA Report No. 8 - 2023

DISCLAIMER

This Report is the result of the efforts of REHVA volunteers. It has been written with care, using the best available information, and the soundest judgement possible. REHVA and its volunteers, who contributed to this Report, make no representation or warranty, expressed or implied, concerning the completeness, accuracy or applicability of the information contained in the Report. No liability of any kind shall be assumed by REHVA or the authors of this Report as a result of reliance on any information contained in this document. The user shall assume the entire risk of using any and all information contained in this Report.

Copyright © 2023 by REHVA

REHVA is the Federation of European Heating, Ventilation and Air Conditioning Associations, www.rehva.eu.

All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies or any other information storage and retrieval system, without permission in writing from the publisher.

Requests for permission to make copies of any part of the work should be addressed to: REHVA Office, 40 Rue Washington, 1050 Brussels – Belgium e-mail: info@rehva.eu

TABLE OF CONTENTS

1. INTRODUCTION	7
2. LOW CARBON ENERGY SOURCES AVAILABLE AT THE URBAN LEVEL	9
3. TYPICAL BUILDING SERVICE SYSTEMS WHICH USE NATURAL GAS	12
3.1. Gas cookers	12
3.2. Space heating and domestic hot water	12
4. TECHNICAL SOLUTIONS FOR SHIFTING AWAY FROM NATURAL GAS IN BUILDINGS	16
4.1. Heat source power	17
4.2. Reducing the supply temperature of heating fluid	19
4.3. Predictive control of heating systems	22
4.4. Limiting distribution heat losses in heating and DHW systems	23
4.5. Examples for shifting existing building service systems away from natural gas	
5. CONCLUSIONS	28
6 REFERENCES	29